



**THE CORPORATION OF THE CITY OF WINDSOR  
OFFICE OF THE CITY SOLICITOR**

**ALEX VUCINIC**

**Manager of Purchasing**

**Elaine Castellan**

**Purchasing Supervisor**

**(519) 255-6272**

**TELEPHONE NUMBER**

---

**ADDENDUM NO. 2  
PLAYGROUND DESIGN, SUPPLY, AND INSTALLATION – TRANBY PARK  
RFP NO. 54-20**

**March 17, 2020**

---

This addendum amends and forms part of the Proposal Documents. The Proponent shall insert the addendum behind the cover page of the Proposal Documents.

Please see attached items 4, 5, 6 for Appendix G.

Except for the contents of this addendum, all other terms and conditions of this proposal remain the same.

**END OF ADDENDUM NO. 2**

Yours truly,

**THE CORPORATION OF THE CITY OF WINDSOR**

***Elaine Castellan***

Elaine Castellan  
Purchasing Supervisor  
EC/sf

---

**ADDENDUM NO. 2  
PLAYGROUND DESIGN, SUPPLY, AND INSTALLATION – TRANBY PARK  
RFP NO. 54-20**

**March 17, 2020**

---

I hereby acknowledge receipt of Addendum No. 2 to the Proposal No. 54-20 (6 pages).

The information contained therein is hereby noted and account of same will be taken in our proposal cost.

This information was received on the \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Name (Printed)

\_\_\_\_\_  
Company Name

**\*NOTE: You are required to acknowledge this addendum with your proposal submission.**

**PLEASE FAX BACK TO (519) 255-9891 OR E-MAIL @ [purchasing@citywindsor.ca](mailto:purchasing@citywindsor.ca) SIGNED  
ACKNOWLEDGEMENT SHEET ASAP**

**Attn: Purchasing Department**


AFTER PLAY EQUIPMENT IS INSTALLED BACKFILL WITH ADDITIONAL GRANULAR 'A' AND COMPACT AS REQUIRED. GRANULAR 'A' TO BE NO MORE THAN 100mm (4") BELOW TOP OF CURB OR SIDEWALK PERIMETER (BY C.O.W.)

CONCRETE BARRIER CURB OR SIDEWALK (BY C.O.W.)  
 TOPSOIL & SEED (BY C.O.W.)  
 100mm (4") BIG-0' w/FILTER SOCK AROUND PERIMETER OF PLAYGROUND PIT BACKFILLED WITH GRANULAR 'A' (BY C.O.W.)  
 UNDISTURBED SOIL


100mm (4") CONCRETE ON 200mm (8") COMPACTED GRANULAR 'A' BASE BROOM FINISH WITH 100mm (4") BORDER AROUND EDGES

**NOTE:**  
 THE CITY OF WINDSOR (C.O.W.) WILL BE RESPONSIBLE FOR THE INSTALLATION OF ALL PLAYGROUND PITS AS PER THIS DETAIL. THE PROPONENT WILL BE RESPONSIBLE TO SUPPLY AND INSTALL ADDITIONAL GRANULAR 'A' AND TO COMPACT THE BASE PRIOR TO SURFACING BEING INSTALLED. ALL PLAYGROUND EQUIPMENT AND RUBBER SURFACING SHALL BE SUPPLIED AND INSTALLED AS PART OF THIS RFP.

**PIT DETAIL**  
 NTS




**CURB DETAIL**  
 NTS



**SIDEWALK DETAIL**  
 NTS

**PLAYGROUND PIT DETAILS**  
 'A'



**NOTE:**  
 PROPONENT SHALL BE RESPONSIBLE FOR ALL PLAYGROUND LAYOUT & INSTALLATION. PLAY UNITS WILL BE PLACED ON COMPACTED AND SLOPED GRANULAR 'A' BASE GRADED WITH A SLIGHT CROWN. PROPONENT SHALL BE RESPONSIBLE FOR SETTING PLAYGROUND ELEVATIONS TO MEET ALL CURRENT CODES & REQUIREMENTS. IF ADDITIONAL STONE & COMPACTION ARE NECESSARY, IT WILL BE UP TO THE PROPONENT TO INCLUDE THIS THE THEIR PROPOSAL.

**PLAYGROUND PIT DETAILS**  
**'B'**

EXAMPLE OF PLAY EVENTS SUBMISSION SHEET:

REALTOR PARK – Play events



Play Event Name

Play Event Name

Play Event Name



Play Event Name

Play Event Name



Play Event

<b>PLAYGROUND EQUIPMENT COMPONENT WARRANTY</b>	<b>LENGTH OF WARRANTY</b>	<b>COMMENTS – PLEASE PROVIDE EXTENDED WARRANTY INFORMATION WHERE APPLICABLE</b>
Cast Aluminum Parts		
Clamps, hardware connection		
Stainless Steel Hardware		
Decks		
Electronic Components		
Failure from Corrosion or Weathering		
Loops		
Motion & Moving Components		
Nets & Cables		
Other Custom or Specialty Items		
Pipes		
Plastic Components		
Polyethylene Components		
Posts / Uprights		
Powder Coating		
Rotationally molded & sheet plastic components		
Rails		
Rungs		
Shade Fabric (UV & Wear)		
Specialty Components: Concrete, Fibreglass, Polyfibreconcrete		
Springs & Spring Toys		
Play Panels		
Steel Components		
Swing Chains, Cleaves & Hardware		
Accessible Swing Seats (including all parts)		
Belt & Baby Swing Seats		
Other:		
Other:		