


NOTES:

1. STORM AND SANITARY CLEANOUTS TO BE INSTALLED AT THE PROPERTY LINE FOR ALL RESIDENTIAL DEVELOPMENTS.
2. AT THE DISCRETION OF POLLUTION CONTROL, A 1200MM(48') DIAMETER SANITARY SAMPLING MANHOLE SHALL BE INSTALLED AT THE PROPERTY LINE ON ALL COMMERCIAL SANITARY PRIVATE DRAIN CONNECTIONS.
3. SANITARY SAMPLING MANHOLE AS PER CITY OF WINDSOR ENGINEERING BEST PRACTICE BP1.1.2.
4. PRIVATE DRAIN CONNECTIONS AS PER CITY OF WINDSOR STANDARD DRAWINGS AS-313.
5. THE WYE'D SECTION OF THE CONNECTION SHALL BE LOCATED WITHIN THE BOULEVARD BETWEEN THE EDGE OF PAVEMENT AND THE PROPERTY LINE AS SHOWN.
6. WHERE POSSIBLE, THE WYE SECTION SHALL NOT BE LOCATED BENEATH A SIDEWALK, DRIVEWAY OR OTHER HARD SURFACE.

CITY OF WINDSOR ENGINEERING DEPARTMENT	
WYE CONNECTIONS TO COMBINED SEWERS	
DR'N BY: A.C	DATE: FEB 2021
REVISION:	CH'KD BY: A.O.
CH'KD BY: P.J.U.	PASSED BY:
 MARK WINTERTON, CITY ENGINEER	
AS-566	